



ردیف	نام قطعه	کد قطعه
1	لوله ورودی گاز آبگرمکن شوفاژ	70260390
2	لوله ورودی گاز پکیج BX.20	70260401
3	مفزی گاورنر BX.20	47160680
4	واشر آزیست گاورنر BX.20	18260700
5	واشر آزیست	18200070
6	مجموعه گاورنر BX.20	70260570
7	مهره برنجی 3/4"	16115540

Linear Dimensions Tolerances According to ISO 2768-1		Geometric Tolerances-(ISO 2768)			Date	Name
Mem. Size (mm)	0.5 up to 3	Over 3 up to 6	Over 6	Tolerance Class	Designed by	29.12.22 AMK
○ Fine	±0.05	±0.1	±0.15	Type	Drawn by	18/12/22 Proj. Sadehkhani
○ Medium	±0.1	±0.2	±0.3	H	Checked by	
○ Coarse	±0.2	±0.3	±0.5	K	App. by	
Angular Dimensions Tolerances According to ISO 2768-1				L	Product Name: BX.20	
Mem. Size (mm)	0.5 up to 3	Over 3 up to 6	Over 6	Title: نقشه انفجاری مسیر ورودی گاز		
○ Fine	±0.2	±0.5	±1	Dwg. No.: ISO-12		
○ Medium	±0.4	±1	±2	Standard No.:		
○ Coarse	±0.7	±1.5	±3	Description:		
Tolerances According to ISO 2769-1				Scale: Material: Weight: Qty: Sheet: 1/1		
Mem. Size (mm)	over 10 up to 30	over 30 up to 100	over 100 up to 400	DIN 3141		
○ Fine	±1'	±0'30"	±0'20"	12.5		
○ Medium	±1'	±0'30"	±0'15"	12.5		
○ Coarse	±1'30"	±1'	±0'15"	12.5		
Free Dimensions				DIN 3141		
Mem. Size (mm)	0.5 up to 3	Over 3 up to 6	Over 6	12.5		
○ Fine	±0.05	±0.1	±0.15	12.5		
○ Medium	±0.1	±0.2	±0.3	12.5		
○ Coarse	±0.2	±0.3	±0.5	12.5		



ردیف	نام قطعه	کد قطعه	ردیف	نام قطعه	کد قطعه
1	بدنه رگولاتور گاز	80400010	22	میوزعه پوله پیوت	32000270
2	پیچ چهار سوختگار	10100020	23	واشر آلومینی	18200280
3	واشر لاستیکی	18300030	24	مهره اتصال پیوت	36000290
4	مهره منظمیسی	28200040	25	واشر آلومینی	18200300
5	دریوه غیر منظمیسی	52000050	26	شاملی گاز	70000310
6	فرم کوئل	28100060	27	پیچ چهار سو	10000320
7	واشر	18200070	28	دیسک مهر پیروانه ای	60000341
8	آورینگ	2200010	29	آهر بر پیروانه ای	47100342
9	میله سوپاپ اصلی	45000110	30	آورینگ	22000540
10	یوه بر دی سوپاپ	47100120	31	میله باد ایک برنجی	45100351
11	آورینگ	22000130	32	میله سوپاپ گاز	45100530
12	هابه دی افرالم	60000140	33	آورینگ	22000540
13	مجموعه بستک بافرالم	70100150	34	پیچ باد بوزگار	47100333
14	لزنه دی افرالم	47000160	35	تسکیر منبر تنظیم گاز	60070340
15	دی افرالم	65000170	36	E-ریگ	24604080
16	بازل پلاستیکی	60000180	37	آهر بر تنظیم گاز	60004231
17	واشر چوب پیله ای شیر گاز	18500190	38	باد ایک ایسی پیوت	60004232
18	مجموعه شیر گاز	---	39	کلاهک شیر گاز	60004240
19	واشر خاردار	18000210	40	فدر باد ایک	43004260
20	پیچ چهار سو	10000220			
21	پیچ چهار سو	10000250			


<b>Linear Dimensions</b> Tolerances According to ISO 2768-1 Nom. Size (mm)   Tolerance Class   H   K   L Fine   Medium   Coarse		<b>Geometric Tolerances - (ISO 2768)</b> Type   H   K   L Straightness And Flatness Tolerances For Ranges Of Nominal Lengths		Date: 1398/07/22 Name: AMBA Designed by: AMBA Drawn by: Amir Safikhani Checked by: AMBA App. by: Amir Safikhani	 Product Name: BX-20 نقشه انجاری مدار گاز ایگرمن Deg. No.: ISO-9 According to:
<b>Angular Dimensions</b> Tolerances According to ISO 2768-1 Nom. Size (mm)   Tolerance Class   H   K   L Fine   Medium   Coarse		<b>Perpendicularity Tolerances</b> For Ranges Of Nominal Lengths Of The Shorter Side Symmetry Tolerances For Ranges Of Nominal Lengths General Tolerances on Circular Run-Out Finishing:		Scale: Material: Weight: Qty: Sheet: 3/9 Rev: Description	



ردیف	نام قطعه	کد قطعه	ردیف	نام قطعه	کد قطعه
1	لوله برگشت، شوفاژ	32160140	42	واشر آزیستی 18x13x2	18201000
2	واشر لاستیکی 24x18x3.7	18310970	43	واشر لاستیکی 18x3x2	18312650
3	مجموعه جداکننده	70224133			
4	مجموعه لوله منع انقباض	70222090			
5	مجموعه لوله اتوونت	70224400			
6	اتوونت	40424040			
7	مهبر اتصال اتوونت	36015260			
8	مهبر برنجی 3/4 شوفاژ	16115540			
9	رابط ورودی و خروجی مهبر شوفاژ	47220020			
10	پمپ آب گراند فوس	29417220			
11	واشر لاستیکی 18.2x12.8x3.8	18301070			
12	مجموعه لوله خروجی از پیچ	70222193			
13	مجموعه مبدل حرارتی BX.20	70212432			
14	پایه ترموستات ایمنی	55012437			
15	لوله رفت (خروجی مبدل)	70260440			
16	پنج راهه شوفاژ	36012552			
17	در پوش چند راهه BX.20	47160670			
18	مجموعه ورودی و سررفت مبدل ثانویه	70260130			
19	لوله برگشت شوفاژ	70260380			
20	شیر برکن	40021390			
21	مبدل ثانویه BX.20	70260121			
22	لوله رفت	70260411			
23	سفری اتصال (مبدل کنترل کارا)	36015410			
24	شیر اطمینان 3 بار	40424050			
25	مجموعه برگرد و ورودی آب شوفاژ	70260430			
26	مجموعه صافی آب	70000990			
27	بدنه رگولاتور آب	47000850			
28	لوله ورودی مبدل	32101090			
29	مجموعه مبدل حرارتی بهینه 8.15	70269041			
30	واشر فلزی 24x18x1.5	18711000			
31	خفقه آب بند 1/4 قطر 18	65011010			
32	مهبر 3/4 مبدل شوفاژ	16115790			
33	واشر آزیستی 11x7x2	18251360			
34	مهبر برنجی 1/4	36012580			
35	مهبر برنجی 1/2	36001010			
36	واشر استیل	18401080			
37	مجموعه لوله ورودی آب گرم به مبدل	70260110			
38	واشر آزیستی 18x13x2	18201000			
39	واشر لاستیکی 28x18x3.5	18313100			
40	لوله خروجی آب گرم	70260421			
41	مهبر 1/2 برنجی BX.20	36060610			

Linear Dimensions Tolerances According to ISO 2768-1		Geometric Tolerances (ISO 2768)				Date	Name
Max. Dev. (mm)	0.1	0.2	0.3	0.4	0.5	12.12.14	AMIR
Max. Dev. (mm)	0.1	0.2	0.3	0.4	0.5	78/11/20	Prof. J. F. Khandani
Max. Dev. (mm)	0.1	0.2	0.3	0.4	0.5	Checked by	
Max. Dev. (mm)	0.1	0.2	0.3	0.4	0.5	App. by	
Tolerances According to ISO 2768-1		Perpendicularity Tolerances				Product Name: <b>BX.20</b>	
Max. Dev. (mm)	0.5 up to 3	Over 3 up to 6	Over 6	For Ranges of Nominal Lengths		Title: <b>مجموعه لوله های آب</b>	
Max. Dev. (mm)	±0.2	±0.5	±1	Of The Shorter Side		Dwg. No.: <b>ISO-11</b>	
Max. Dev. (mm)	±0.4	±1	±2	Symmetry Tolerances For Ranges of Nominal Lengths		Standard No.:	
Angular Dimensions Tolerances According to ISO 2768-1		General Tolerances on Circular Run-out				Scale: Material: Weight: Qty: Sheet: 1/1	
Max. Dev. (mm)	over 18	up to 30	up to 75	up to 150	Finishing:		Rev.: Description
Max. Dev. (mm)	±1	±0.30	±0.20	±0.15	Free Dimensions		
Max. Dev. (mm)	±1.30	±1	±0.30	±0.15	DIN 3141		





ردیف	نام قطعه	کد قطعه
1	سپر حرارتی سمت راست	50360250
2	سپر حرارتی سمت چپ	50360240
3	سایپورت	55060210
4	سایپورت صفحه در جات چپ	55060520
5	رویه پلاستیکی چپ	60060490
6	رویه پلاستیکی راست	60060480
7	دریوش صفحه در جات	60060500
8	قطعه پلاستیکی اتصال دهنده	60060510
9	بذنه فن دگ استوانه ای	28001281
10	مهره پلاستیکی فن دگ	60001282
11	فشارود ماسنج	28310030
12	کلید خاموش و روشن تک منظوره	28424270
13	آکوستات	28320120
14	بندچ چهار سو B2.9x13	10112460
15	بندچ چهار سو خودکار B3.5x9.5	11011170
16	بندچ چهار سو M4x10x0.7	10000220
17	دستگیره مشیر تنظیم کار	60070341
18	دستگیره مشیر تنظیم ما	60070321
19	قاب دسته	60070351

Linear Dimensions Tolerances According to ISO 2768-1		Geometric Tolerances--(ISO 2768)			Date	Name
Nom. Size (mm)	0.5 up to 3	3 to 6	6 to 30	30 to 100	12.10.18	AMBE
○ Fine	±0.05	±0.1	±0.15	±0.2	Drawn by	78/10/28 Saeed Spidekhami
○ Medium	±0.1	±0.2	±0.3	±0.4	Checked by	
○ Coarse	±0.2	±0.4	±0.6	±1.0	App. by	Majid W. G.
Tolerances According to ISO 2768-1		Perpendicularity Tolerances For Ranges of Nominal Lengths Of The Shorter Side			Product Name:	
Nom. Size (mm)	0.5 up to 3	Over 3 up to 6	Over 6		BX.20	
○ Fine	±0.2	±0.5	±1		Title:	
○ Medium	±0.4	±1	±2		نقشه انفجاری	
○ Coarse	±0.8	±2	±4		Dwg. No.:	
Angular Dimensions Tolerances According to ISO 2768-1		Symmetry Tolerances For Ranges of Nominal Lengths			ISO1	
Nom. Size (mm)	over 10	over 10	over 30	over 100	Standard No.:	
○ Fine	±1'	±0'30"	±0'20"	±0'15"	12.10.18	
○ Medium	±1'30"	±1'	±0'30"	±0'15"	Description	
○ Coarse	±1'30"	±1'	±0'30"	±0'15"	1/1	
Free Dimensions		Scale: Material: Weight: Qty: Sheet:			Rev:	
DIN 3141	12.5	12.5	12.5	12.5	1/1	

**BUZANE INDUSTRIAL Co.**
  
 Product Name: **BX.20**
  
 Title: **نقشه انفجاری**
  
 Dwg. No.: **ISO1**
  
 Standard No.: